



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
<i>IP Office Power Demo</i>				
700501416		IP500 R7.0 Power Demo Kit	\$	-
<i>IP Office 500v2 System</i>				
IP500v2 Control Unit is fully backwards compatible to the IP500. It has 4 card slots into which all existing IP500 cards can be inserted, as well as several new cards which were introduced with R6.0. The IP500v2 requires the presence of a system SD (Secure Digital) card to operate and to act as its feature key. The IP500v2 operates in Standard IP Office Mode as well as a new Essential Edition - PARTNER® Version.				
700476005		IP500V2 Control Unit	\$	-
700289770		* Power Lead USA (one required for each IP500 base module)	\$	-
<i>Avaya Extended Warranty Options</i>				
263143		IPO R6 Essential Edition PARTNER Version (2 Year)	\$	-
263148		IPO R6 Essential Edition PARTNER Version (4 Year)	\$	-
263140		IPO R6 Essential System Package (2 Year)	\$	-
263145		IPO R6 Essential System Package (4 Year)	\$	-
263141		IPO R6 Preferred System Package (2 Year)	\$	-
263146		IPO R6 Preferred System Package (4 Year)	\$	-
263142		IPO R6 Advanced System Package (2 Year)	\$	-
263147		IPO R6 Advanced System Package (4 Year)	\$	-
<i>Internal Base Cards</i>				
700476013		IP500V2 Combination Card ATM - supports 4 analog trunks, 6 digital stations, 2 analog stations, 10 VCM channels (Max 2 per system on either IPO or PARTNER Version). Note: the Combination Card does not come with any IP Phone License & will not support internal daughter card.	\$	-
700213440		One ISDN cable (red)	\$	-
700476039		IP500V2 EXTN Card ETR 6 (supports up to 6 PARTNER ETR phones-max 18 ETR phones). Includes 2 power failure ports if Uni Trunk card is installed on this card. Only supported in Essential Edition-PARTNER Version mode. (Max 3 per system). Also required for 3920 Wireless.	\$	-
700472889		IP500 Expansion Card 4-port -Adds 4 expansion ports.Comes with 4 yellow connection cables. (must go in far right slot and <i>will not</i> accept a daughter card) Required for more than 8 expansion modules. Enables 4 more exp. modules - up to 12 total.	\$	-
700431778		IP500 Analog Phone 2 Card (max 4) - this card also accepts (1) 500 trunk daughter card (IPO or PARTNER Version)	\$	-
700417231		IP500 Analog Phone 8 Card (max 4) - this card also accepts (1) 500 trunk daughter card (IPO or PARTNER Version)	\$	-
700417330		IP500 Digital Station 8 Card (max 3) - this card also accepts (1) 500 trunk daughter card - 4400 series are not supported on this card (IPO or PARTNER Version).	\$	-
700500758		IP500 Digital Station 8 Card for NORTEL digital phones		



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
700417389		IP500 VCM 32 Card - equipped with 32 channels. Comes with 12 Avaya IP Phone licenses enabled. This card also accepts (1) 500 trunk daughter card. (required for SCN & IP Phones).	\$	-
700417397		IP500 VCM 64 Card - equipped with 64 channels. Comes with 12 Avaya IP Phone licenses enabled. This card also accepts (1) 500 trunk daughter card. (required for SCN & IP Phones).	\$	-
700417215		IP500 Legacy Card Carrier (max 2) - supports PRI T1, Dual PRI T1, Analog 4 Uni, VCM 4, 8, 16, 24 & 30. Does not accept any 500 daughter trunk cards. (IPO only)	\$	-
Internal Daughter Cards				
700417405		IP500 Trunk Daughter Analog 4 Uni - supports analog loop-start trunks & 1 analog v.32 modem (max 4) - can be added to any 500 DS card, 500 Analog phone base card or 500 VCM card.	\$	-
700417439		IP500 Trunk Daughter T1/PRI Uni Single (up to 24 T1 channels) 8 default channels	\$	-
700417462		IP500 Trunk Daughter T1/PRI Uni Dual (up to 48 T1 channels) 16 default channels	\$	-
External Expansion Modules				
700449473		IP500 External Expansion Module (Trunk) Analog 16-power lead req.	\$	-
700449499		IP500 External Expansion Module (Digital Station) 16-power lead req.	\$	-
700500699		IP500 External Expansion Module for up to 16 NORTEL Digital Phones	\$	-
700426216		IP500 External Expansion Module (Digital Station) 30-power lead req.	\$	-
700500698		IP500 External Expansion Module for up to 30 NORTEL Digital Phones	\$	-
700449507		IP500 External Expansion Module (Phone 16 - 16 Analog Station Ports) power lead required	\$	-
700426224		IP500 External Expansion Module (Phone 30 - 30 Analog Station Ports) power lead required	\$	-
700289770		* Power Lead USA (one required for each IP500 External Expansion Module)	\$	-
(Required) System SD (Secure Digital) Cards				
Note: Optional SD Card Slot can be off the shelf class 4 which delivers back-up of; system software, system configuration, & system upgrades				
700479710		IP500V2 System SD Card for IP Office (U-LAW Quick Mode with a Key System Configuration) - system software/firmware, system configuration, license keys, comes with 2 ports of Essential Edition voicemail. This card is required for each IPO system.	\$	-
700479728		IP500V2 System SD Card for PARTNER® - system software/firmware, system configuration, license keys, come with 2 ports Essential Edition voicemail. Can be set up in Quick Mode or Standard Mode. This card is required for each PARTNER Version system.	\$	-

Rack & Wall Mounting Brackets



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
700429202		IP500 Rack Mounting Kit (for 19" rack)	\$	-
700430150		IP500 Wall Mounting Kit-fits on IP500 Control Unit only as a stand alone	\$	-
700500923		IP500 Wall Mounting Kit v2 (NEW) with cable management	\$	-

7.0 UPGRADE LICENSES

If upgrading a previous release of IP500v1 & IP500v2 to IPO R7.0:
 (For new installations no upgrade license is required on the IP500V2 platform or the Essential Edition - PARTNER Version systems)

262644		IPO License Upgrade R7.0 - For systems with more than 32 extensions or for systems with expansion modules.	\$	-
--------	--	--	----	---

IP500v2 System Licenses

229423		IPO License R6 Essential Edition - adds 2 channels (IP500V2 only) 2 Embedded VM ports & 15 hours of storage are already enabled by default; this license increases capacity to 4 ports & 20 hours of storage or a max of 6 ports & 25 hours of storage.	\$	-
--------	--	--	----	---

171991		IPO Preferred Edition (R5 & R6)- (formerly VM Pro) This system license enables 4 VoiceMail Pro ports together with Meet Me Conferencing and Automatic Internal & External Call Recording capabilities. The existing VMPro 4 ports license can be purchased to add increments of 4 ports up to the max of 40 ports IP500.	\$	-
--------	--	---	----	---

229424		IPO License R6 Advanced Edition - This license can be added to the Preferred Edition License to enable Customer Service enhancements. It contains the Customer Call Reporter application-including 1 supervisor (for real-time & historic reporting), Interactive Voice Response (IVR) with external databases, 8 ports of Text-to-Speech (TTS)-allows database queries using IVR to be read over the phone, Visual Basic Scripting and ContactStore Call Recording Library (for search & replay of call recordings). (Dell PowerEdgeT110 Tower Server with Windows 2003 or 2008 Standard Edition required).	\$	-
--------	--	---	----	---

Extra Options For Advanced Edition

187166		VMPro Recordings Administrators (R5 & R6): To support ContactStore in a SCN, IP Offices other than the central IPO require either their own Adv Edition license or this license	\$	-
182303		VMPro TTS (R5 & R6) (Generic): This legacy license enables use of TTS facilities using 3rd party TTS software with VMPro. 1 License per simultaneous instance of TTS usage. For IPO R6 this license is no longer used for user email reading. The IPO Adv Edition license also enables 8 ports of generic TTS.	\$	-

Customer Service Agent License:

CCR Agents. This License is concurrent and is allocated on a first-come, first-served basis. Note: An Advanced Edition System License or legacy CCR Supervisor License is required as a prerequisite for this license to be valid. (Max of 150 agents).



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)

Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
217650		Customer Service Agent (R5 & R6) RFA 1		\$ -
217651		Customer Service Agent (R5 & R6) RFA 5		\$ -
217653		Customer Service Agent (R5 & R6) RFA 20		\$ -

Customer Service Supervisor License:

CCR Supervisor (this license is concurrent and is allocated on a first-com, first-served basis). Note: An Advanced Edition System License or Legacy CCR Supervisor License is required as a prerequisite for this license to be valid.

229442		IPO License R6 Customer Service Supervisor 1-enables 1 Supervisor account & 1 Wallboard account (Max 30 each)		\$ -
--------	--	---	--	------

IP Office 500V2 System Licenses

205650		Multisite Voice Networking (R5 & R6) -adds 4 LIC (used with IP500 & IP500V2 to enable support for SCN, QSIG and H323 IP trunks)		\$ -
215180		IP500 License T1 (R5 & R6) add 2 channels		\$ -
215181		IP500 License T1 (R5 & R6) add 8 channels		\$ -
215182		IP500 License T1 (R5 & R6) add 32 channels (dual only)		\$ -
171988		CTI Activation key enabling CTI Link Pro functionality		\$ -
177466		TAPI WAV enables 4 add'l ports voice processing (requires CTI Link RFA)		\$ -
202967		IPO Lic SIP Trunk (R5 & R6) RFA 1		\$ -
202968		IPO Lic SIP Trunk (R5 & R6) RFA 5		\$ -
202969		IPO Lic SIP Trunk (R5 & R6) RFA 10		\$ -
202970		IPO Lic SIP Trunk (R5 & R6) RFA 20		\$ -
182303		Voicemail Pro TTS (R5 & R6) (Generic) 8-port License:		\$ -
182301		IPO SEC VPN (R5 & R6) RFA - enables the IPO to initiate & terminate IPSec and LsTP tunnels		\$ -

VoiceMail Pro Additional Ports

174459		VoiceMail Pro (R5 & R6) RFA 2- adds 2 ports		\$ -
174460		VoiceMail Pro (R5 & R6) RFA 4- adds 4 ports		\$ -
174461		VoiceMail Pro (R5 & R6) RFA 8- adds 8 ports		\$ -
174462		VoiceMail Pro (R5 & R6) RFA 16- adds 16 ports		\$ -

VMPRO Unified Messaging Service (UMS) replaces IMS in R4.2

217880		VMPRO UMS (R5 & R6) License - 1 User		\$ -
217881		VMPRO UMS (R5 & R6) License - 5 User		\$ -
217883		VMPRO UMS (R5 & R6) License - 20 User		\$ -

IP Office 500V2 User Licences NOTE: if using one-X Portal a Windows 2003 or 2008 Server is required

Office Worker License: one-X Portal for IPO (with Telecommuter mode disabled), Unified Messaging Service (web and email access to voicemail). Note: UM will not work without the Preferred Edition License. For Migration purposes any existing PhoneMgr Pro license can enable the Office Worker functionality (instead of PhoneManager Pro). **Note: Windows 2003 or 2008 Server required if using one-X Portal**

229438		IPO License R6 Office Worker 1		\$ -
229439		IPO License R6 Office Worker 5		\$ -



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
229440		IPO License R6 Office Worker 20		\$ -
Mobile Worker License: Mobility including Mobile Twinning, Mobile Call Control and one-X Mobile Client support, Text-to-Speech. License has to be applied to a particular user to be valid. Note: TTS function will not work without the Preferred Edition License. Note: Windows 2003 or 2008 Server required if using one-X Portal				
229434		IPO License R6 Mobile Worker 1		\$ -
229435		IPO License R6 Mobile Worker 5		\$ -
229436		IPO License R6 Mobile Worker 20		\$ -
Teleworker License: one-X Portal for IPO, Unified Messaging Service (web and email access to voicemail), IPO Video Softphone. License has to be applied to a particular user to be valid. Notes: The UMS function will not work without the Preferred Edition License. Windows 2003 or 2008 Server required if using one-X Portal				
229430		IPO License R6 Teleworker 1		\$ -
229431		IPO License R6 Teleworker 5		\$ -
229432		IPO License R6 Teleworker 20		\$ -
Power User License: Mobility including Mobile Twinning, Mobile Call Control & one-X Mobile Client support, one-X Portal for IPO, IPO Video Softphone, Unified Messaging Service (web and email access to voicemail), Text-to-Speech. License has to be applied to a particular user to be valid. Note: Windows 2003 or 2008 Server required if using one-X Portal				
229426		IPO License R6 Power User 1		\$ -
229427		IPO License R6 Power User 5		\$ -
229428		IPO License R6 Power User 20		\$ -
Receptionist License: Targeted at operators/receptionists and provides a visual PC interface for call handling and management for multiple sites. PC-based operator console. Additional licenses can be added for up to 4 SoftConsoles running at any time. License has to be applied to a particular user to be valid.				
171987		Receptionist (R5 & R6) RFA 1		\$ -
Phone Manager Pro License: A Windows PC application that allows IP Office users to control their telephone through their PC. (also included in Power User & Teleworker licenses)				
177468		Phone Manager Pro (R5 & R6) RFA for one user		\$ -
Avaya IP Endpoint License: On IP500 and IP500V2 systems, these license add'l Avaya IP Phones. This includes all 1600, 4600, 5600, 9600, IP DECT, DECT R4, T3 IP, Spectralink and VPN phones supported by IPO R6.				
229444		IPO License R6 AV IP Endpoint 1		\$ -
229445		IPO License R6 AV IP Endpoint 5		\$ -
229447		IPO License R6 AV IP Endpoint 20		\$ -
3rd Party IP Endpoint License: These licenses are used for support of non-Avaya IP phones including SIP extensions. The available license are used in order of phone registration. If no licenses are available the phone will not be able to register. Available licenses can reserved for a particular phone using the Reserve 3rd Party IP Endpoint License setting in each IP extension. This license was previously called the IP End-Points license.				
174956		IP400 IP Endpoints (R5 & R6) RFA 1 Lic		\$ -
174957		IP400 IP Endpoints (R5 & R6) RFA 5 Lic		\$ -
174958		IP400 IP Endpoints (R5 & R6) RFA 10 Lic		\$ -
174959		IP400 IP Endpoints (R5 & R6) RFA 20 Lic		\$ -
Software on USB Flash Drives required for installation & programming				
700500928		User/Admin/VMPPro R7.0 on DVD (required for installation & programming)		\$ -



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
700501420		IPO 7.0 Applications Server DVD (for compatibility with CentOS Linux)	\$	-
<i>GoldX Cat 5e Patch Panels (Cat 6 also available)</i>				
<i>Also both Cat 5e & Cat 6 Patch Cables & Crossover Cables available</i>				
GXN-C5EP12		12 Port Vertical Mount Patch Panel on 110 Block	\$	-
GNX-C5EPA12R		12 Port Rack Mount (no hinge) Patch Panel	\$	-
GXN-C5EPA24		24 Port Rack Mount with Hinge Patch Panel	\$	-
GXN-C5EPA48		48 Port Rack Mount (no hinge) Patch Panel	\$	-
GXN-PDT110		Punch Down Tool with 110D Blades used to seat wires into a 110 block	\$	-
PC5_-_05		5 Ft. Patch Cable CAT5e RJ-45 (black, blue, green, gray, purple, orange, red, white or yellow)	\$	-
PC5_-_07		7 FT. Patch Cable CAT5e RJ-45 (black, blue, green, gray, purple, orange, red, white or yellow)	\$	-
405788100		Loop Current Attenuator(must be between 23 & 25 milliamps on each analog line)	\$	-
<i>IP Office Telephone Series</i>				
<i>1400 Series Digital for both IPO and IP PARTNER® Version modes</i>				
700469927		1403 Digital 3-button (IP Office only) 2-way speakerphone	\$	-
700469851		1408 Digital 8-button (wall mount kits optional) 2-way speakerphone	\$	-
700469869		1416 Digital 16-button (wall mount kits optional) 2-way speakerphone	\$	-
700469968		(DBM32) Button Module for 1416 Phone (up to 3 on 1416) 1151D1 Power Supply (700434897) & Power Lead (700289770) Required.	\$	-
<i>1600 Series IP Telephones - (not supported IP PARTNER® Version)</i>				
700458524		1603SW-I (black) IP Phone R6 only - Power Supply(700451230) or 1603 PoE adapter(700415607) required. Each sold seperately.	\$	-
700476849		1603-I (black) IP Phone R6 only - Power Supply(700451230) or 1603 PoE adapter(700415607) required. Each sold seperately.	\$	-
700458532		1608-I (black) IP Phone R6 only - Power Supply(700451230) or optional POE switch required. Sold seperately (wall mount kits optional)	\$	-
700458540		1616-I (black) IP Phone R6 only- Power Supply(700451230) or optional POE switch required. Sold seperately (wall mount kits optional)	\$	-
700415573		(BM32) 32 Button BLF/Speed Dial Module for 1616 only. (Max 3 per 1616 & Max 32 per IPO system). Power Supply (700434897) required & Power Lead (700289770).	\$	-
JDI PC5-BK-10'		CAT5 Ethernet Cord (10ft) (black) - required for 1600 series phones	\$	-
700415623		1608 & 1408 Wall Mount Kit - includes 1 ft Ethernet cord & screws	\$	-
700415631		1616 & 1416 Wall Mount Kit - includes 1 ft Ethernet cord & screws	\$	-



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
700415607		1603 PoE adapter-fits inside 1603 wedge stand to add PoE capabilities. No wall plug needed	\$	-
700451230		Power Supply for 1600 IP Phones	\$	-
700383821		1600 Series 25' Handset Cord	\$	-
5400 Series Digital Telephones (not supported IP PARTNER Version)				
700381981		5402 Basic Digital DCP (Dark Gray) listen-only speakerphone (RoHS Compliant)	\$	-
700382005		5410 Mid-Level Digital DCP (Dark Gray) 2-way speakerphone (RoHS Compliant)	\$	-
700381627		5420 High-Performance Digital DCP (Dark Gray) 2-way speakerphone (RoHS Compliant)	\$	-
5400 Digital Telephone Accessories				
00802		Self-Adhesive Mounting Shoulder Rest - Dark Gray by SoftTalk	\$	-
GCHA444012FDG		12' Handset Cord - Dark Gray	\$	-
GCHA444025FDG		25' Handset Cord - Dark Gray	\$	-
700381817		EU24-24 add'l busy lamp, feature buttons expansion unit (max 1 per phone, 8 per system) works on 5420 & 5621 - If connected to the Digital 5420 you will also need the 1151D1 Power Supply & Power Lead - (When the EU24 is connected to the IP5621 you do not need the separate PS & PL)	\$	-
700434897		1151D1 Terminal Power Supply w/CAT5 (Required for IP Sets without PoE, EU24's, DBM32's, BM32's, BM12's, SMB24's). Power Lead (700289770) also required - must be purchased separately.	\$	-
700289770		Power Lead - Required with 1151D1 Terminal Power Supply	\$	-
9500 Series Digital (Paperless) Supported on both IP PARTNER Version & IPO Version (IP500v2 chasis only).				
NOTE: If you have IR7.0 IP500v1 chasis the 9404 & 9408 Digital sets are supported (call Badger for pricing).				
700500206		9504 Digital (NEW for R7.0) Up to 12 programmable keys, 2-way speakerphone. (optional wall mt kit 700383375)	\$	-
700500207		9508 Digital (NEW for R7.0) Up to 24 programmable keys, Full Duplex speakerphone (supports up to (3) BM12-button expansion modules). (p.s. 700434897 & p.l. 700289770 required when using BM12 on phone). Optional wall mt kit 700383375	\$	-
9600 Series IP (Paperless) Not supported on IP PARTNER Version				
700461197		9620L (black & white display) IP Phone (black) - Designed for everyday telephone user, up to 12 feature buttons, headset compatible, no USB adapter, no gigabit, desk or wall mount with optional wall mount adapter (requires p.s. 700434897 & p.l. 700289770) or PoE (temporary low price as a substitute for 9608 - MUST PURCHASE IP ENDPOINTS	\$	-



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
700461205		9620C (color display) Gigabit IP Phone (black) - Same features as 9620L plus USB adapter & one expansion module interface that will support Gigabit Ethernet adapter (requires p.s. 700434897 & p.l. 700289770) or PoE. Optional wall mt 700383375	\$	-
700383870		9620 Wedge Stand (replaces default flip stand) places phone in a more horizontal position on desk.	\$	-
700383375		9504, 9508, 9620, 9608 & 9611 Wall Mount Adapter	\$	-
700405673		9630G (temporary low price as a substitute for 9641G)	\$	-
700383920		9640 (color display) IP Phone (black) - Designed for Essential user, up to 24 feature buttons, headset compatible, desk or wall mount optional (requires p.s. 700434897 & p.l. 700289770) or PoE	\$	-
700419195		9640G (color display) Gigabit IP Phone (black) - Designed for Essential user, up to 24 feature buttons, headset compatible, Gigabit Ethernet adapter, desk or wall mount optional (requires p.s. 700434897 & p.l. 700289770) or PoE	\$	-
700383938		9650 (temporary low price as a substitute for 9641G)	\$	-
700461213		9650C (color display) IP Phone (black) - Same features as 9650 (requires p.s. 700434897 & p.l. 700289770) or PoE	\$	-
700383383		9630, 9640, 9650 Wall Mount Adapter	\$	-
700462518		SMB 24 Button Expansion Module supported on 9630G, 9640, 9640G, 9650 & 9650C - provides 24 add'l programmable buttons (max of 3 are supported per phone & 42 per system) p.s. 700434897 & p.l. 700289770 required.	\$	-
700480643		BM12 Button Expansion Module supported on 9508, 9608 & 9641 - provides 12 add'l programmable buttons in 2 pages for 24 features. (max of 3 supported per phone, 32 per system) p.s. 700434897 & p.l. 700289770 required.	\$	-
700500727		Button Module 12 Replacement Stand	\$	-
700500725		IP Phone Single PT PoE Injector (NEW R7.0) Power Injector for 9608, 9621G and 9641G phone. (required to power these IP sets unless a PoE switch is going to be use).	\$	-
700500726		Replacement Stand for IP9608 / 9611G	\$	-
700383789		Bluetooth Adapter for 9600 series - allows Bluetooth communications devices such as headsets to interoperate with 9600 Series phones (except the 9620L). It requires a separate "Wedge stand." The adapter allows highly mobile workers to use the same Bluetooth headset with their 9600 Deskphone as they use with their cell phone.	\$	-



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)
Quote Name:

Quote Date:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Valid Thru:

Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
700383771		Gig Ethernet Adapter for 9600 - can be fully integrated into a wedge stand of the 9600 phones & provides a transparent upgrade option if customer decides to install Gigabit Ethernet at a later date. Requires a separate "Wedge stand"	\$	-
700383888		Wedge stand for 9630, 9640 & 9650 (replaces default flip stand that comes standard with phones) - places phone in a more horizontal position on desk)	\$	-
700434897		1151D1 Terminal Power Supply w/CAT5 (Required for IP Sets without PoE, EU24's & DBM32's). Power Lead (700289770) also required - must be purchased separately.	\$	-
700289770		Power Lead - Required with 1151D1 Terminal Power Supply	\$	-
LevelOne (PoE) Ethernet Switches to power telephones (eliminates individual power supplies) & VPN Routers				
FSW-0809		4 + 4 Port PoE Switch - 8 Port 10/100Mbps (4 ports provide PoE 15.4 max per port)	\$	-
FSW-1671		8 + 8 Port PoE Fast Ethernet (65W)	\$	-
GSW-2693		24 Port PoE Switch - 25 Port 10/100Mbps with 2G/2SFP L2 Managed Switch (PSE)	\$	-
FVS318NA		Netgear - ProSafe VPN Firewall Router 8 w/8 Port 10/100 Mbps	\$	-
Avaya Wireless Telephones (3920 supported in IP PARTNER® Version only - requires ETR Module)				
DECT Wireless phones available - call Badger for separate price quote (715.672.4200)				
700471121		3920 Wireless Telephone - headset compatible (requires ETR Module)	\$	-
700471345		3920 Wireless Repeater	\$	-
Plantronics Headsets				
64336-31		Supra-Monaural/one ear cushion (noise canceling also available)	\$	-
64337-31		Supra - Binaural/two ear cushions (noise canceling also available)	\$	-
69700-06		CS-55 - 1.9 GHz DECT Technology Wireless Headset - works with IP Office (Adapter or Lifter required to make hands-free); No Remote Answer; Noise-Canceling microphone; up to 50 hr.Standby	\$	-
70450-06		CS-70N - Professional Wireless Headset System - works for remote answer on IPO (use HL10 lifter or APV Cable)	\$	-
83681-01		APV-6A Cable for Avaya 1408/1416/1608/1616/5410 and 9600 series sets. may be used in place of the HL-10 Handset lifter	\$	-
83682-01		APV-6B EHS Cable for Avaya 5420/5610/5620 series sets. may be used in place of the HL-10 Handset lifter	\$	-
60961-32		HL-10 Handset Lifter for one-touch, remote call-answering	\$	-
49323-44		HIC Adapter Cable - w/disconnect, for connecting corded headsets directly to Avaya phones. 1400/5400 & 5600 sets	\$	-
72442-41		HIS Adapter Cable - w/disconnect, for connecting corded headsets directly to Avaya phones. 9600/1600 sets	\$	-


Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone
Quotation
 IPO Template R7.0 (9-13-11)

Quote Name:
Quote Date:
Valid Thru:
Quoted By:
Quoted To: Customer

Contact

[Address](#)

State, Zip

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
Savi Headsets are available if customer wants to go between desk phone and computer. Ask Badger for pricing.				
<u>Hospitality Solutions</u>				
Aegis-P08 (80002-black)		SciTec single line; volume control, data port, msg wtg lt - Wall Mount Kit/Back Plate sold separately	\$	-
Aegis-P08 (80001-ash)		SciTec single line; volume control, data port, msg wtg lt - Wall Mount Kit/Back Plate sold separately	\$	-
Aegis-3 (80302 Black)		SciTec single line; 3 programmable feature keys, volume control, data port, msg wtg lt, flash, redial, hold keysn (black or ash) - Wall Mount Kit/Back Plate sold separately	\$	-
P99001 (Ash)		Wall Mount Kit/Back Plate for Aegis Sets (Ash)	\$	-
P99002 (Black)		Wall Mount Kit/Back Plate for Aegis Sets (Black)	\$	-
DV4		DuVoice DV4 4 Port VM & Auto Attendant, 1 Port Fax & Unified Messaging, 2,000 hours of storage, 225 mailboxes - uses 5 analog station ports from IPO, Monitor required (CTI RFA 171988 required).	\$	-
DV8		DuVoice DV8 8 Port VM & Auto Attendant, 1 Port Fax & Unified Messaging, 2,000 hours of storage, 225 mailboxes - uses 9 analog station ports from IPO, Monitor required (CTI RFA 171988 required).	\$	-
DV2004		DuVoice DV2004 4 port voice, 1 port fax, 2,000 hr, 10,000 mailboxes XP based VM & UM - uses 5 analog station ports from IPO, Monitor required (CTI RFA 171988 required).	\$	-
DV2008		DuVoice DV2008 8 port voice, 1port fax, 2,000 hr, 10,000 mailboxes XP based VM & UM - uses 9 analog station ports from IPO, Monitor required (CTI RFA 171988 required).	\$	-
171988		Avaya CTI Pro License required for DuVoice call control on all IPO systems	\$	-
LINK- HOSP		Hospitality PMS Interface for existing Brand X PMS	\$	-
INN-DESK		Web enabled guest administration module	\$	-
DVSS4		Extended Software Support from DuVoice for 4 port systems (total of 15 months)	\$	-
DVSS8		Extended Software Support from DuVoice for 8 port systems (total of 15 months)	\$	-
PreProg		Preprogramming Package: DuVoice gathers data, programs system, and provides remote admin. training (4 & 8 port systems)	\$	-
CA-PWL250		ProfitWatch Lite - Hospitality Call Acctg for up to 250 rooms	\$	-
CA-MP100		ProfitWatch Standalone - Hospitality Call Acctg up to 100 rooms	\$	-
<u>eCAS Call Accounting Software (Veramark) - not compatible with DuVoice</u>				
90S001022		eCAS for Avaya IPO SMB Bundle up to 50 users(single site)-requires server	\$	-
90S001023		eCAS for Avaya IPO SMB Bundle up to 250 users(single site)-requires server	\$	-
ECAS250		eCAS for Avaya IPO up to 250 users (w/5-sites) - requires server	\$	-
SC0450003		eCAS Training Webinar (per session) for end-user	\$	-


Badger Communications Corporation

408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
IPO Template R7.0 (9-13-11)

Quote Name:

Quote Date:

Valid Thru:

Quoted By:

Quoted To: Customer
Contact
[Address](#)
State, Zip
Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
<i>Music on Hold Devices</i>				
On Hold Msg		Bishop On-Hold Customized Messaging Productions Available - call Badger for pricing		
<i>ITW Linx Surge Protectors</i>				
M8COM-60		Protects 8 AC outlets, 4 CO Lines (DSL ready), One T1, line, one ethernet line	\$	-
GRM0600		RACK MOUNT Protects 8 outlets	\$	-
RM-M8COM-15		RACK MOUNT Protects 8 outlets, (one) LAN & T1 line, 4 phone or DSL lines	\$	-
M8KSU-60		towerMAX 8 KSU Base Unit - protects 8 AC outlets	\$	-
M4KSU		towerMAX 4 KSU Base Unit - protects 4 AC power outlets	\$	-
MDS25		towerMAX DS/25 Module - protects 25 Digital Stations	\$	-
MCO25-60		towerMAX CO/25 Module- protects 25 CO lines	\$	-
MCO4x4-60		towerMAX CO/4x4 Module- protects 4 CO/DSL lines or 4 T/R sets	\$	-
<i>Xtreme Power Conversion UPS Systems</i>				
90000416		XST-600 600VA/360W Standby Tower UPS (includes USB Port, Communications Cable and Shutdown Software) 2 yr. warranty, \$25K load protection	\$	-
90000418		XST-800 800VA/480W Standby Tower UPS (includes USB Port, Communications Cable and Shutdown Software) 2 yr. warranty, \$25K load protection	\$	-
90000108		XVT-600 600VA/360W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection	\$	-
90000109		XVT-800 800VA/480W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection	\$	-
90000110		XVT-1200 1200VA/720W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection	\$	-
90000112		XVT-1500 1500VA/900W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection	\$	-
90000100		NXRT-1000 1000VA On-Line UPS, 2U (1000VA/700W) 3 yr. warranty \$50K load protection	\$	-
90000101		NXRT-1500 1500VA On-Line UPS, 2U (1500VA/1050W) 3 yr. warranty \$50K load protection	\$	-
90000104		NXRT-2000 2000VA On-Line UPS, 3U (2000VA/1400W) 3 yr. warranty, \$50K load protection	\$	-
<i>Other Items</i>				
IP DECT		3720 & 3725 Wireless IP DECT, base stations & licenses (pricing available upon request) not supported in Essential Edition-PARTNER® Version		
Bogen		Customized Loudspeaking Paging (pricing available upon request)		
TAMB2		Telephone Access Module - interfaces a tel system with a paging system to allow paging announcements to be made through any telephone. Updated version of the UPAM. Works with IP Office or IP PARTNER Version. Requires power supply (mfg#TAPRS2403)	\$	-
PRRS2403		Power Supply - required for Telephone Access Module (TAMB2)	\$	-


Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone
Quotation

IPO Template R7.0 (9-13-11)

Quote Name:
Quote Date:
Valid Thru:
Quoted By:
Quoted To: Customer

Contact

[Address](#)

State, Zip

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
PA-2A (Viking)		PA-2A Multi-Line Loud Ringer and Paging Amplifier-comes with 1 horn - can add 2 add'l horns (no UPAM required) requires analog station port or analog trunk port from IPO.	\$	-
25AE (Viking)		25AE weather proof horn - works with PA-2A Amplifier (can add up to 2 horns on the paging Amplifier)	\$	-
35AE (Viking)		35AE - 8 OHM Ceiling Speaker with volume control	\$	-
408466563		Door Phone Control with Speaker - unlocks doors, gates, etc (requires trunk position)	\$	-
Tech Help		Technical Support for Remote Programming Options (call Badger for pricing)		
2200-16200-001		Polycom SoundStation 2EX conference speakerphone (mics sold separately) - requires an analog (T&R) station port from the IPO	\$	-
2200-07800-160		Polycom SoundStation 2W/EX Conference system - Wireless/Expandable - requires an analog (T&R) station port from the IPO	\$	-
2200-16155-001		Polycom Mics for SoundStation 2EX Conference System - 1 Pair	\$	-
910-158-370		ClearOne Max IP VoIP Conference Phone (requires 3rd Party IP Endpoints Licensing) Full-duplex audio*Distributed echo cancellation*Noise cancellation*First microphone priority*Automatic gain and level controls*3 Way calling*VLAN tagging allows users to manage bandwidth usage on the network* TLS and SRTP encryption ready for secure voice communications* Field upgradeability*For small conference rooms (up to 8 people) or executive offices*Can expand up to four linked phones	\$	-
910-158-500-00		ClearOne MaxAttach-Max EX Combo, Max EX & One Expansion Kit (requires an analog (T&R) station port from the IPO)	\$	-
910-158-500		ClearOne Max EX Wired Expandable Conference Phone (ROHS)(requires an analog (T&R) station port from the IPO)	\$	-
910-158-400		ClearOne Max Wireless Conference Phone (requires an analog (T&R) station port from the IPO)	\$	-
RMC40002		Rack mount Server/ raid1 Mirrored Hard Drives, 2-300GB SATA 7200rpm, Intel E5300 Dual Core Proc with Windows 7 - (2.6GHz), 1GB DDR2 RAM(2x512MB), , DVD-RW, 10/100 Ethernet, PCI Express x16-1, USB keyboard & USB optical mouse. (Manager & VMPRO installed)	\$	-
Dell T110 Server		Dell PowerEdgeT110 Tower Server & Keyboard Dual Core Intel Pentium E2180-2.0GHz, 800MHz, 1MB cache, 2GB DDR2 RAM at 667MHz with Windows 2008 Standard Edition SP2, (Manager and VMPRO or another application installed) . Recommended for larger applications, networking, or running multiple applications.	\$	-
RMC40001		Rack Mount Server Intel E5300 dual core proc with - 2.6GHz, Windows 7 premium, 1GB DDR2 RAM (2x512MB), 300GB SATA 7200rpm, comes w/USB keyboard, USB optical mouse. (Manager & VMPRO installed)	\$	-



Badger Communications Corporation
408 6th Ave. West
Durand, WI 54736
(715) 672-4200 Phone

Quotation
 IPO Template R7.0 (9-13-11)

Quote Name:

Quote Date:

Valid Thru:

Quoted By:

Quoted To: Customer
 Contact
[Address](#)
 State, Zip

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total
Dell Optiplex 380 PC(with IPO sftwr installed)		Dell Optiplex 380 PC Desktop & Keyboard with Windows 7 built-in, (Manager & VM PRO installed) . Dell Dual Core Pentium E2180-2.0GHz, 800MHz, 1MB cache, 1GB DDR2 RAM at 677MHz (recommended for 200 users & less).		\$ -
PC Monitor		17" PC Flat Panel Monitor		\$ -
			Subtotal	\$ -
			TOTAL	\$ -

NOTES: